


**Ejektör (Bronz)**  
*Ejector (Bronze)*

NO	PARÇA ADI	PART NAME	MATERIAL
1	GÖVDE	BODY	RG5
2	DİFÜZÖR	DIFFUSOR	RG5
3	NOZUL	NOZZLE	AISI 316L
4	CONTA	GASKET	KLINGRIT
5	SAPLAMA	STUD	AISI 316L
6	YAYLI RONDELA	SPRING LOCK WASHER	AISI 316L
7	FİBERLİ SOMUN	HEXAGON NYLON NUT	AISI 316L



**EJEKTÖR TEKNİK ÖZELLİKLERİ / EJECTOR TECHNICAL PROPERTIES**

ÖLÇÜ / DIM	POMPA	DRIVING	EMİŞ	SUCTION
1 1/2"x2"x2 1/2"	8 bar	11m <sup>3</sup> /h	3m	13m <sup>3</sup> /h
2 1/2"x2 1/2"x3"	8 bar	40m <sup>3</sup> /h	3m	49.7m <sup>3</sup> /h
2"x3"x3"	8 bar	37m <sup>3</sup> /h	3m	36.3m <sup>3</sup> /h
3"x4"x4"	8 bar	61m <sup>3</sup> /h	3m	71m <sup>3</sup> /h
3"x3"x4"	3 bar	54.6m <sup>3</sup> /h	3m	28.3m <sup>3</sup> /h
4"x5"x5"	8 bar	88.2m <sup>3</sup> /h	3m	90.5m <sup>3</sup> /h
4"x4"x5"	3 bar	84m <sup>3</sup> /h	3m	42.1m <sup>3</sup> /h
5"x6"x6"	8 bar	141m <sup>3</sup> /h	3m	141m <sup>3</sup> /h

ÖLÇÜ / DIM	DRIVING					SUCTION					DISCHARGE					L1	L2	L	KG
	DN	ØD	Øk	Øg	Ødxn	DN	ØD	Øk	Øg	Ødxn	DN	ØD	Øk	Øg	Ødxn				
1 1/2"x2"x2 1/2"	40	150	110	88	18x4	50	165	125	108	18x4	65	185	145	122	18x4	115	115	580	16.1
2 1/2"x2 1/2"x3"	65	185	145	122	18x4	65	185	145	122	18x4	80	200	160	138	18x8	115	135	730	31.5
2"x3"x3"	50	165	125	102	18x4	80	200	160	138	18x8	80	200	160	138	18x8	115	135	678	31.5
3"x4"x4"	80	200	160	138	18x8	100	220	180	158	18x8	100	220	180	158	18x8	125	142.5	960	48.2
3"x3"x4"	80	200	160	138	18x8	80	200	160	138	18x8	100	220	180	158	18x8	117	142.5	960	46
4"x5"x5"	100	220	180	158	18x8	125	250	210	188	18x8	125	250	210	188	18x8	125	165	1070	60
4"x4"x5"	100	220	180	158	18x8	100	220	180	158	18x8	125	250	210	188	18x8	125	168	1055	58
5"x6"x6"	125	250	210	188	18x8	150	285	240	212	22x8	150	285	240	212	22x8	130	200	1330	84